

Cover photograph: Spring Brook Creek at Orillia, Washington, taken by David K. Mullis.

Guidelines and Standard Procedures for Continuous Water-Quality Monitors: Site Selection, Field Operation, Calibration, Record Computation, and Reporting

By Richard J. Wagner, Harold C. Mattraw, George F. Ritz, and Brett A. Smith

U.S. GEOLOGICAL SURVEY

Water-Resources Investigations Report 00-4252

Reston, Virginia
2000



**U.S. DEPARTMENT OF THE INTERIOR
BRUCE BABBITT, Secretary**

**U.S. GEOLOGICAL SURVEY
Charles G. Groat, Director**

The use of firm, trade, and brand names in this report is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey.

For additional information write to:

Chief, Office of Water Quality
U.S. Geological Survey
412 National Center
Reston, VA 20192

Copies of this report can be purchased from:

U.S. Geological Survey
Branch of Information Services
Box 25286, Federal Center
Denver, CO 80225

CONTENTS

Abstract	1
Introduction	1
Purpose and scope	1
Acknowledgments	2
Water-quality monitoring site operation	2
Monitor selection	2
Types of monitor configuration	2
Types of sensors	5
Temperature	5
Specific conductance	6
Dissolved oxygen	6
pH	6
Turbidity	7
Instrument acceptance criteria	7
Site selection	7
Placement of sensors in the cross section	9
Field meter calibration	10
Temperature	10
Specific conductance	10
Dissolved oxygen	11
pH	11
Turbidity	11
Monitor operation	11
Maintenance	12
Sensor inspection	12
Monitor calibration criteria	13
Field cleaning of sensors	13
Field calibration of sensors	14
Temperature sensors	14
Specific conductance sensors	14
Dissolved oxygen sensors	15
pH sensors	16
Turbidity sensors	16
Cross-section measurements	17
Troubleshooting procedures	17
Field notes and instrument logs	17
Record computations	18
Data-processing procedures	18
Initial data evaluation	18
Application of corrections and shifts	19
Fouling	20
Drift	21
Evaluation and application of cross-section corrections	22
Final data evaluation	22
Maximum allowable limits for reporting continuous data	22
Publication criteria	23
Preparation of the review package	24
Record checking	24
Station description	24
Station analysis	24

Contents of the review package	25
Documentation	25
Level of review required	25
Publication	25
Data reports	25
Data qualification statements	26
Archiving of records	26
Summary	26
Selected references	26
Appendixes	28
1. Example for calculation of average pH	29
2. Station description: (A) contents of a station description, and (B) example of a station description for the Columbia River at Beaver Army Terminal near Quincy, Oregon	30
3. Station analysis: (A) contents of a station analysis, and (B) example of a station analysis for temperature on the Columbia River at Beaver Army Terminal near Quincy, Oregon	34
4. U.S. Geological Survey water-quality monitor field-inspection form (duplex)	37
5. Effects of temperature on pH standards	39
6. Troubleshooting problems with water-quality monitors	40
7. Example of an ADAPS primary data table	42
8. Graphic representation of variable shift corrections	44
9. Example of a manuscript station description	45
10. Example of an annual field measurement summary form	46
11. Example of a variable shift correction table	47
12. Example of a datum shift correction table	48
13. Example of an ADAPS daily-values table	49
14. Example of a discharge hydrograph	52
15. Example of a review graph for an individual water-quality property	53

Figures

1. Flow-through water-quality monitoring station	3
2. In-situ water-quality monitoring station	4
3. Self-contained water-quality monitoring sensor and recording system	5
4. Specific conductance at Duwamish River at Tukwila, Washington, September 5–10, 1998	19
5. Generalized graph of corrections to continuous temperature record	21

Tables

1. Principal advantages and disadvantages of flow-through monitoring systems	4
2. Principal advantages and disadvantages of in-situ monitoring systems	4
3. Principal advantages and disadvantages of the self-contained monitoring system	5
4. Factors for consideration in the placement and installation of continuous water-quality monitoring systems	8
5. Hydraulic conditions of the ideal gage site	9
6. Calibration criteria for continuous water-quality monitors	13
7. Criteria for water-quality data shifts	20
8. Maximum allowable limits for continuous water-quality monitoring sensors	23
9. Rating continuous water-quality records	23